**AMENDMENTS TO THE CLAIMS** 

1. (Currently Amended) A biopsy system, comprising:

a vacuum assisted biopsy device;

a first fluid source:

a second fluid source;

a fluid connector configured to provide the first and second fluid sources in communication

with the biopsy device, the fluid connector comprising a body member having a first input port in

fluid communication with the first fluid source, a first check valve in fluid communication with the

first input port, the first inlet port adapted to mate with the first check valve, a second input port in

fluid communication with the second fluid source, a second check valve in fluid communication

with the second inlet port, the second inlet port adapted to mate with the second check valve, and an

outlet port in fluid communication with the vacuum assisted biopsy device, wherein the first check

valve is selectively opened when a vacuum is created in the fluid connector.

2. (Original) The biopsy system of claim 1, wherein the first check valve includes a duckbill

valve member.

3. (Original) The biopsy system of claim 1, wherein the second check valve includes a

resiliently compressible valve member.

4. (Original) The biopsy system of claim 3, wherein the second check valve includes a valve

seat adapted to secure the valve member within the second check valve.

5. (Original) The biopsy system of claim 1, wherein the first fluid source is a bag of isotonic

solution.

6. (Previously presented) The biopsy system of claim 1, wherein the second fluid source

includes a needleless syringe.

Amendment dated June 30, 2009

After Final Office Action of June 1, 2009

7. (Original) The biopsy system of claim 1, wherein the second fluid source includes an

anesthetic or a haemostatic agent.

8. (Previously presented) The biopsy system of claim 1, wherein the first check valve exhibits a

predetermined cracking pressure, and wherein the cracking pressure is dictated by a change of

pressure within at least a portion of the biopsy device.

9. (Previously presented) The biopsy system of claim 8, wherein the cracking pressure is less

than or equal to a pressure resulting from the vacuum created in the fluid connector by the vacuum

assisted biopsy device.

10. (Previously presented) The biopsy system of claim 8, wherein the cracking pressure is

greater than a pressure resulting from the vacuum created in the fluid connector by the vacuum

assisted biopsy device when the second check valve is open.

11. (Original) The biopsy system of claim 1, wherein the second check valve includes a female

luer fitting and the second fluid source includes a male luer fitting adapted to mate with the female

luer fitting.

12. (Previously presented) The biopsy system of claim 1, wherein the vacuum created in the

fluid connector by the vacuum assisted biopsy device is configured to draw a predetermined amount

of fluid from the second fluid source through the output port and into the biopsy device when the

second fluid source is connected thereto.

13. (Original) The biopsy system of claim 1, wherein the first and second check valves include a

female leur fitting.

14. (Currently Amended) A fluid connector for a biopsy system including a vacuum assisted

biopsy device, a first fluid source and a second fluid source, the fluid connector comprising:

Application No. 10/786,727 Docket No.: 65937-0045

Amendment dated June 30, 2009

After Final Office Action of June 1, 2009

a body member having a first input port, a second input port and an output port, wherein the first

input port includes a first check valve integrated therein and in fluid communication with the first

fluid source, the first inlet port adapted to mate with the first check valve, the second input port

includes a second check valve integrated therein and in fluid communication with the second fluid

source, the second inlet port adapted to mate with the second check valve, and the output port is

provided in communication with the vacuum assisted biopsy device, wherein the first check valve is

selectively opened when a vacuum is created in the fluid connector.

15. (Original) The fluid connector of claim 14, wherein the first check valve includes a duckbill

valve member.

16. (Original) The fluid connector of claim 14, wherein the second check valve includes a

resiliently compressible valve member.

17. (Original) The fluid connector of claim 16, wherein the second check valve includes a valve

seat adapted to secure the valve member within the second check valve.

18. (Original) The fluid connector of claim 14, wherein the first fluid source is a bag of isotonic

solution.

19. (Previously presented) The fluid connector of claim 14, wherein the second fluid source

includes a needleless syringe.

20. (Original) The fluid connector of claim 14, wherein the second fluid source includes an

anesthetic of a haemostatic agent.

21. (Original) The fluid connector of claim 14, wherein the first check valve exhibits a

predetermined cracking pressure.

Application No. 10/786,727 Docket No.: 65937-0045
Amendment dated June 30, 2009

After Final Office Action of June 1, 2009

22. (Previously presented) The fluid connector of claim 21, wherein the cracking pressure is less

than or equal to a pressure resulting from the vacuum created in the fluid connector by the vacuum

assisted biopsy device.

23. (Previously presented) The fluid connector of claim 21, wherein the cracking pressure is

greater than a pressure resulting from the vacuum created in the fluid connector by the vacuum

assisted biopsy device when the second check valve is open.

24. (Original) The fluid connector of claim 14, wherein the second check valve includes a

female luer fitting and the second fluid source includes a male luer fitting adapted to mate with the

female luer fitting.

25. (Previously presented) The fluid connector of claim 14, wherein the vacuum created in the

fluid connector by the vacuum assisted biopsy device is configured to draw a predetermined amount

of fluid from the second fluid source through the output port and into the biopsy device when the

second fluid source is connected thereto.

26. (Original) The fluid connector of claim 14, wherein the first and second check valves

include a female luer fitting.

27. (Previously presented) The biopsy system of claim 1, wherein the body member further

comprises a housing, said housing comprising:

said first input port;

second input port;

said outlet port; and

a fluid passageway extending through said housing and in fluid communication with said

first input port, said input port and said outlet port.

Application No. 10/786,727 Amendment dated June 30, 2009 After Final Office Action of June 1, 2009

28. (Previously presented) The fluid connector of claim 27, wherein the housing is a unitary member.

Docket No.: 65937-0045

29. (Previously presented) The fluid connector of claim 14, wherein the body member further comprises a housing, said housing comprising:

said first input port;

second input port;

said outlet port;

- a fluid passageway extending through said housing and in fluid communication with said first input port, said second input port and said outlet port.
- 30. (Previously presented) The fluid connector of claim 29, wherein the body member is a unitary member.